



TOTALSOURCE PREMIUM SOLID TYRE



4,5



GENERAL
PERFORMANCE

4,5



DURABILITY

4



COMFORT

4,5



ENERGY SAVINGS

TOTALSOURCE PREMIUM

SOLID TYRE

OUR PRODUCT RANGE

Tyre size	Rim size	Tread pattern	Mounting type		Outside diameter (mm)	Section width (mm)	Weight (kg)	Load capacity (kg) 25 km/h	
			Std	Clip	± 5 mm	± 5 mm		Drive wheel	Steering wheel
3.00-4	2.10	RIB	•		250	85	3,5	260	195
4.00-4	2.50	TSP	•		300	92	6,3	535	412
3.50-5	3.00	TSP	•	•	320	100	7,3	900	690
4.00-8	3.00	TSP	•	•	402	103	15,5	950	730
5.00-8	3.00	TSP	•	•	450	120	17	1415	1090
15x4½-8 (125/75-8)	3.00	TSP	•	•	368	105	9,9	1040	800
16x6-8 (150/75-8)	4.33	TSP		•	406	140	16,5	1270	975
18x7-8 (180/70-8)	4.33	TSP	•	•	450	157	21	2145	1650
140/55-9	4.00	TSP	•	•	376	125	11	1170	900
6.00-9	4.00	TSP	•	•	520	138	23	1885	1450
21x8-9 (200/75-9)	6.00	TSP	•	•	517	188	33,5	2755	2120
6.50-10	5.00	TSP	•	•	566	160	34	2340	1800
200/50-10	6.50	TSP	•		454	190	25	2470	1900
23x9-10 (225/75-10)	6.50	TSP	•	•	580	194	44	3160	2430
7.00-12	5.00	TSP	•	•	646	172	49	2920	2240
23x10-12 (250/60-12)	8.00	TSP	•	•	580	232	46	3770	2900
27x10-12 (250/75-12)	8.00	TSP	•		672	240	72	3900	3000
23x5	3.75	TSP	•		605	122	50	1700	1310
7.00-15	5.50	TSP	•	•	705	180	57	3545	2725
7.00-15	6.00	TSP	•		705	180	57	3545	2725
7.50-15	6.50	TSP	•	•	736	193	66,8	3900	3000
28x9-15 (8.15-15 / 225/75-15)	7.00	TSP	•	•	678	221	63	3445	2650
250-15 (250/70-15)	7.00	TSP	•	•	706	220	69	4745	3650
250-15 (250/70-15)	7.50	TSP	•	•	706	220	69	4745	3650
8.25-15	6.50	TSP	•	•	808	192	88	4750	3650
300-15 (315/70-15)	8.00	TSP	•	•	806	242	105	5850	4500
28x12½-15 (355/45-15)	9.75	TSP	•	•	705	275	89	5525	4250
355/65-15	9.75	TSP	•		810	285	135	7800	6000
400/60-15	11.00	TSP	•		810	318	149	8970	6900
7.50-16	5.50	TSP	•		736	193	63	3900	3000
7.50-16	6.00	TSP	•		736	193	63	3900	3000
9.00-20	6.50	TSP	•		972	226	149	5400	4500
9.00-20	7.00	TSP	•		972	226	149	5400	4500
10.00-20	7.50	TSP	•		1004	250	166	6000	5000
10.00-20	8.00	TSP	•		1004	250	166	6000	5000
12.00-20	8.00	TSP			1080	255	215	7560	6300
12.00-20	8.50	TSP			1080	255	215	7560	6300
14.00-24	10.00	TSP			1275	308	265	11100	9250

Tread pattern

RIB



TSP



LOOK UP THE CORRECT REFERENCE AND ORDER YOUR TYRES

Tyre size	Rim size	Standard tyre	Clip tyre	Standard tyre Non-marking	Clip tyre Non-marking
		REF	REF	REF	REF
3.00-4	2.10	129TA6876			
4.00-4	2.50	129TA6877			
3.50-5	3.00	129TA6878		129TA6937	
4.00-8	3.00	129TA6879	129TA6916	129TA6938	
5.00-8	3.00	129TA6880	129TA6917	129TA6939	129TA6959
15x4½-8 (125/75-8)	3.00	129TA6881	129TA6918	129TA6940	129TA6960
16x6-8 (150/75-8)	4.33	129TA6882	129TA6919	129TA6941	129TA6961
18x7-8 (180/70-8)	4.33	129TA6883	129TA6920	129TA6942	129TA6962
140/55-9	4.00		129TA6921		129TA6963
6.00-9	4.00	129TA6884	129TA6922	129TA6943	129TA6964
21x8-9 (200/75-9)	6.00	129TA6885	129TA6923	129TA6944	129TA6965
6.50-10	5.00	129TA6886	129TA6924	129TA6945	129TA6966
200/50-10	6.50	129TA6888	129TA6926	129TA6947	129TA6968
23x9-10 (225/75-10)	6.50	129TA6887	129TA6925	129TA6946	129TA6967
7.00-12	5.00	129TA6889	129TA6927	129TA6948	129TA6969
23x10-12 (250/60-12)	8.00	129TA6890	129TA6928	129TA6949	129TA6970
27x10-12 (250/75-12)	8.00	129TA6891	129TA6929	129TA6950	129TA6971
23x5	3.75	129TA6892		129TA6951	
7.00-15	5.50	129TA6893	129TA6930	129TA6952	129TA6972
7.00-15	6.00	129TA6894			
7.50-15	6.50	129TA6897		129TA6953	
28x9-15 (8.15-15 / 225/75-15)	7.00	129TA6898	129TA6931	129TA6954	129TA6973
250-15 (250/70-15)	7.00	129TA6899	129TA6932	129TA6955	129TA6974
250-15 (250/70-15)	7.50	129TA6900			
8.25-15	6.50	129TA6901	129TA6933	129TA6956	129TA6975
300-15 (315/70-15)	8.00	129TA6902	129TA6934	129TA6957	129TA6976
28x12½-15 (355/45-15)	9.75	129TA6903	129TA6935		
355/65-15	9.75	129TA6904	129TA6936	129TA6958	129TA6977
400/60-15	11.00	129TA6905			
7.50-16	5.50	129TA6906			
7.50-16	6.00	129TA6907			
9.00-20	6.50	129TA6908			
9.00-20	7.00	129TA6909			
10.00-20	7.50	129TA6910			
10.00-20	8.00	129TA6911		129TA8530	
12.00-20	8.00	129TA6912		129TA8531	
12.00-20	8.50	129TA6913			
14.00-24	10.00	129TA6915			

Didn't find the tyre you need? Contact us and we will help you out!

Non-marking tyre


Keep your workfloors clean and eliminate floor marking



TOTALSOURCE PREMIUM SOLID TYRE

Designed using the latest technology to maximise performance in medium to heavy-duty warehousing tasks. The triple compound design includes heavy-duty sidewall protection. Produced with materials to deliver great general performance.

RECOMMENDED USE



BENEFITS OF THIS TYPE OF TYRE

Continuous centre lug

Reduces vibration and reduces rolling resistance.

Three-layer tyre produced with premium materials

Stands up to wear and tear for longer. Your tyre suffers less from heat fatigue.



Extra wide footprint

Provides optimal traction for extreme applications and heavy loads.

Integrated wear indicator

Ensures you make the most of your tyre's life.

WE CAN OFFER YOU A COMPLETE RANGE OF RIMS SUITED FOR EACH TYRE



- Split rims
- Multiple piece rim with rings
- Clamp fitting rims
- Drop centre rim

© 01-2024 TVH Parts Holding NV, Brabantstraat 15, 8790 Waregem, Belgium. All rights reserved. No part of this publication may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of TVH Parts Holding NV. TVH Parts Holding NV is the holding company of the TVH group, which holds ownership and title in the intellectual rights, proprietary information, know-how and goodwill of the TVH group. TVH is a supplier of aftermarket spare parts and accessories suitable for the maintenance and repair of OEM-equipment. Photographs, illustrations and images are included for reference purposes only. TVH and TotalSource are registered trademarks of TVH Parts Holding NV. All sales are subject to the General Terms and Conditions of Sale, which are at all times available for consultation in their latest version on <https://www.tvh.com/terms-conditions>. Do not throw on public roads. Printing or typing errors reserved.

TVH PARTS HOLDING NV

Brabantstraat 15 • 8790 Waregem • Belgium
T +32 56 43 42 11 • F +32 56 43 44 88 • info@tvh.com • www.tvh.com