



# TOTALSOURCE STANDARD SOLID TYRE



4



GENERAL  
PERFORMANCE

4



DURABILITY

3,5



COMFORT

3,5



ENERGY SAVINGS

# TOTALSOURCE STANDARD

## SOLID TYRE

### OUR PRODUCT RANGE

Tyre size	Rim size	Tread pattern	Mounting type		Outside diameter (mm)	Section width (mm)	Weight (kg)	Load capacity (kg) 25 km/h	
			Std	Clip	± 5 mm	± 5 mm		Drive wheel	Steering wheel
4.00-8	3.00	TS01	•		408	115	12,4	950	715
4.00-8	3.00	RIB	•		408	115	12,4	950	715
5.00-8	3.00	TS02	•	•	462	127	18,8	1095	820
15x4½-8 (125/75-8)	3.00	TS01	•	•	380	106	9,4	890	670
16x6-8 (150/75-8)	4.33	TS02	•	•	413	156	17,4	1345	1010
18x7-8 (180/70-8)	4.33	TS02	•	•	459	145	21	2110	1585
140/55-9	4.00	TS01		•	379	130	10,5	1170	900
6.00-9	4.00	TS02	•	•	529	140	27,4	1730	1295
21x8-9 (200/75-9)	6.00	TS01	•	•	519	189	33,5	2530	1895
6.50-10	5.00	TS02	•	•	578	157	36,8	2370	1780
200/50-10	6.50	TS01	•	•	454	211	24,4	1900	1425
23x9-10 (225/75-10)	6.50	TS01	•	•	590	211	50	3075	2305
4.50-12	3.00	TS02	•		546	120	22,2	1460	1080
7.00-12	5.00	TS02	•	•	658	167	49,2	2710	2035
23x10-12 (250/60-12)	8.00	TS03	•	•	587	230	52,4	3605	2705
27x10-12 (250/75-12)	8.00	TS01	•	•	675	231	71	4020	3015
5.50-15	4.50	TS02	•		663	145	40,5	2195	1625
6.00-15	4.50	TS02	•		697	148	47,2	2455	1820
7.00-15	5.50	TS02	•	•	732	178	62,4	3225	2420
7.50-15	6.50	TS01	•		766	200	76,2	3190	2395
28x9-15 (8.15-15 / 225/75-15)	7.00	TS02	•	•	699	232	68,6	3675	2755
250-15 (250/70-15)	7.00	TS01	•	•	721	232	73,8	4250	3155
250-15 (250/70-15)	7.50	TS01	•	•	721	232	73,8	4250	3155
8.25-15	6.50	TS02	•	•	821	205	93,6	4440	3330
300-15 (315/70-15)	8.00	TS01	•	•	820	257	112	5380	4035
28x12½-15 (355/45-15)	9.75	TS01	•	•	700	300	87,6	5170	3890
355/65-15	9.75	TS01	•	•	815	302	128,2	6000	4500
7.50-16	6.00	TS03	•		800	181	77,2	3520	2640
9.00-16	6.50	TS03	•		869	214	113	4625	3470
9.00-20	7.00	TS03	•		997	238	154,4	5805	4355
10.00-20	7.50	TS03	•		1033	248	173	6945	5210
10.00-20	8.00	TS03	•		1033	248	173	6945	5210
11.00-20	8.00	TS03	•		1049	270	194	7610	5680
12.00-20	8.00	TS03	•		1103	285	231	7320	6100
12.00-20	8.50	TS03	•		1103	285	231	7320	6100

### Tread pattern

TS01



TS02



TS03



RIB



## LOOK UP THE CORRECT REFERENCE AND ORDER YOUR TYRES

Tyre size	Rim size	Standard tyre	Clip tyre	Standard tyre	Clip tyre
		REF	REF	Non-marking REF	Non-marking REF
4.00-8	3.00	116TA7743			
4.00-8	3.00	129TA6776			
5.00-8	3.00	129TA6779	129TA6806	129TA6828	129TA6855
15x4½-8 (125/75-8)	3.00	116TA7747	129TA6807	129TA6829	129TA6856
16x6-8 (150/75-8)	4.33	116TA5090	116TA5091	129TA6830	129TA6857
18x7-8 (180/70-8)	4.33	111TA1102	116TA5089	129TA6831	129TA6858
140/55-9	4.00		136TA1298		136TA1299
6.00-9	4.00	111TA1099	129TA6808	129TA6832	129TA6859
21x8-9 (200/75-9)	6.00	116TA7748	129TA6809	129TA6833	129TA6860
6.50-10	5.00	111TA1100	129TA6810	129TA6834	129TA6861
200/50-10	6.50	116TA7754	129TA6812	129TA6836	129TA6863
23x9-10 (225/75-10)	6.50	116TA7749	129TA6811	129TA6835	145TA9264
4.50-12	3.00	129TA6782			
7.00-12	5.00	111TA1101	129TA6814	129TA6840	129TA6865
23x10-12 (250/60-12)	8.00	129TA6784	129TA6815	129TA6841	129TA6866
27x10-12 (250/75-12)	8.00	116TA7750	129TA6816	129TA6842	129TA6867
5.50-15	4.50	129TA6785		129TA6843	
6.00-15	4.50	129TA6786		129TA6844	
7.00-15	5.50	129TA6787	129TA6817	129TA6845	129TA6868
7.50-15	6.50	129TA6788			
28x9-15 (8.15-15 / 225/75-15)	7.00	116TA7753	129TA6818	129TA6846	129TA6869
250-15 (250/70-15)	7.00	116TA7755	129TA6819	129TA6847	129TA6870
250-15 (250/70-15)	7.50	129TA6789	139TA3475	129TA6848	
8.25-15	6.50	116TA7746	129TA6820	129TA6849	129TA6871
300-15 (315/70-15)	8.00	116TA7756	129TA6821	129TA6850	129TA6872
28x12½-15 (355/45-15)	9.75	129TA6791	129TA6822	129TA6851	129TA6873
355/65-15	9.75	116TA7757	129TA6823	129TA6852	129TA6874
7.50-16	6.00	129TA6794		129TA6854	
9.00-16	6.50	129TA6795			
9.00-20	7.00	129TA6797			
10.00-20	7.50	129TA6798			
10.00-20	8.00	129TA6799			
11.00-20	8.00	129TA6800			
12.00-20	8.00	129TA6801			
12.00-20	8.50	129TA6802			

Didn't find the tyre you need?  
Contact us and we will help you out!

### Non-marking tyre


Keep your workfloors clean and eliminate floor marking



# TOTALSOURCE STANDARD SOLID TYRE

Our standard solid tyre offers great reliability for general use. Its wide profile and flat footprint is designed to maximise the tyre life. Equipped with large tread blocks and deep lugs, it offers the best traction possible while also delivering maximum stability.

## RECOMMENDED USE



## BENEFITS OF THIS TYPE OF TYRE

A wide tread profile and flat footprint  
*Economical running, high safety and comfortable when in operation.*



Equipped with a 60-J line  
*Ensures you get the most use possible out of your tyre.*

Three-layer tyre produced with premium materials  
*Stands up to wear and tear for longer. Your tyre suffers less from heat fatigue.*

## WE CAN OFFER YOU A COMPLETE RANGE OF RIMS SUITED FOR EACH TYRE



- Split rims
- Multiple piece rim with rings
- Clamp fitting rims
- Drop centre rim

© 01-2024 TVH Parts Holding NV, Brabantstraat 15, 8790 Waregem, Belgium. All rights reserved. No part of this publication may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of TVH Parts Holding NV. TVH Parts Holding NV is the holding company of the TVH group, which holds ownership and title in the intellectual rights, proprietary information, know-how and goodwill of the TVH group. TVH is a supplier of aftermarket spare parts and accessories suitable for the maintenance and repair of OEM-equipment. Photographs, illustrations and images are included for reference purposes only. TVH and TotalSource are registered trademarks of TVH Parts Holding NV. All sales are subject to the General Terms and Conditions of Sale, which are at all times available for consultation in their latest version on <https://www.tvh.com/terms-conditions>. Do not throw on public roads. Printing or typing errors reserved.

### TVH PARTS HOLDING NV

Brabantstraat 15 • 8790 Waregem • Belgium  
T +32 56 43 42 11 • F +32 56 43 44 88 • [info@tvh.com](mailto:info@tvh.com) • [www.tvh.com](http://www.tvh.com)