



Premium pneumatic tyre 'heavy sidewall'

This premium tyre has a heavy-duty sidewall to offer you a high load-carrying capacity and first-class puncture-proofing features. The extra metal rim guard in the sidewall protects the rim and tyre from damage from side-on impact. The wide, highly detailed tread pattern delivers very good traction and stability in all conditions.



GENERAL
PERFORMANCE



DURABILITY



COMFORT



ENERGY SAVINGS

OUR PRODUCT RANGE

Tyre size	Ply rating	Tread pattern	Outside diameter (mm)	Section width (mm)	Weight (kg)	Inflated pressure (kPa)	Load capacity (kg) 25 km/h	
			± 5 mm	± 5 mm			Drive wheel	Steering wheel
5.00-8	10	P02	467	132	7,5	970	1415	1090
16x6-8 (150/75-8)	14	P02	401	152	9	900	1270	975
18x7-8 (180/70-8)	18	P02	465	168	9,7	1000	2145	1650
6.00-9	12	P02	540	160	12	1030	1885	1450
21x8-9 (200/75-9)	16	P02	533	203	13	1000	2755	2120
6.50-10	12	P02	597	178	13	1000	2340	1800
23x9-10 (225/75-10)	18	P02	584	229	18	900	3160	2430
7.00-12	16	P02	683	192	20	1000	2915	2240
27x10-12 (250/75-12)	20	P02	682	254	24	830	4615	3550
5.50-15	10	P02	670	155	14	750	3060	2550
7.00-15	16	P02	730	200	24	1000	3545	2725
7.50-15	16	P02	808	215	26	1000	3640	2800
28x9-15 (8.15-15 / 225/75-15)	16	P02	706	221	25	1000	3050	2575
250-15 (250/70-15)	24	P02	735	250	28	930	4745	3650
300-15 (315/70-15)	22	P02	840	300	45	925	5850	4500
8.25-15	16	P02	847	236	35	925	4750	3650
28x12,5-15 (355/45-15)	24	P02	711	304	37	1000	5525	4250
32x12,1-15	24	P02	825	304	60	1030	7800	6000
9.00-20	14	P02	992	259	51	790	5375	4555
10.00-20	20	P02	1073	278	66	890	6945	5885
12.00-20	32	P02	1146	315	96	965	9840	8335

TREAD PATTERN

P02




LOOK UP THE **CORRECT REFERENCE** AND ORDER YOUR TYRES

Tyre size	Ply rating	Tyre, tube and flap
		REF
5.00-8	10	129TA8500
16x6-8 (150/75-8)	14	129TA6982
18x7-8 (180/70-8)	18	129TA8501
6.00-9	12	129TA8502
21x8-9 (200/75-9)	16	165TA9954
6.50-10	12	129TA8504
23x9-10 (225/75-10)	18	129TA8505
7.00-12	16	129TA8506
27x10-12 (250/75-12)	20	129TA8507
5.50-15	10	129TA8508
7.00-15	16	129TA8509
7.50-15	16	129TA8510
28x9-15 (8.15-15 / 225/75-15)	16	129TA8511
250-15 (250/70-15)	24	129TA8512
300-15 (315/70-15)	22	129TA8513
8.25-15	16	129TA8514
28x12,5-15 (355/45-15)	24	129TA7006
32x12,1-15	24	129TA7007
9.00-20	14	129TA8515
10.00-20	20	129TA8532
12.00-20	32	129TA7016

Didn't find the tyre you need? Contact us and we will help you out!

RECOMMENDED USE



BENEFITS OF THIS TYPE OF TYRE

Big tread blocks

A comfortable ride and extended tyre life.



Wide tread pattern

Very good stability.

Heavy sidewall with a reinforced rim guard


Protects against side-on impact.

WE CAN OFFER YOU A COMPLETE RANGE OF RIMS SUITED FOR EACH TYRE



- Split rims
- Multiple piece rim with rings
- Clamp fitting rims
- Drop centre rim

Authorized distributor:



© 07-2019 · TVH Parts Holding NV, Brabantstraat 15, B-8790 Waregem. All rights reserved. No part of this publication may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of TVH Parts Holding NV. TVH® is a registered trademark. All other trademarks or tradenames in this publication are the property of their respective owners. Photographs are included for reference purposes only. All sales are subject to the general terms & conditions of sale on www.tvh.com/avv. · REF 46038673



TVH PARTS NV

Brabantstraat 15 · 8790 Waregem · Belgium

T +32 56 43 42 11 · F +32 56 43 44 88 · info@tvh.com · www.tvh.com