



## Premium pneumatic tyre 'Endurance'

With its top-quality rubber compound, the 'Endurance' premium tyre guarantees you'll have the best resistance to wear and tear of any industrial pneumatic tyres. This results in longer tyre life, additional hours of usage, reduced downtime and lower maintenance costs.



GENERAL  
PERFORMANCE



DURABILITY



COMFORT



ENERGY SAVINGS

## OUR PRODUCT RANGE

Tyre size	Ply rating	Tread pattern	Outside diameter (mm)	Section width (mm)	Weight (kg)	Inflated pressure (kPa)	Load capacity (kg) 25 km/h	
			± 5 mm	± 5 mm			Drive wheel	Steering wheel
5.00-8	10	P03	470	137	8	1000	1150	970
18x7-8 (180/70-8)	16	P03	465	173	10,5	1000	2145	1650
6.00-9	12	P03	540	160	14	860	1505	1275
21x8-9 (200/75-9)	16	P03	535	200	20	1000	2755	2120
6.50-10	14	P03	590	175	16	1000	2340	1800
7.00-12	16	P03	676	190	23	1000	2915	2240
27x10-12 (250/75-12)	20	P03	690	255	30	700	3545	2725
7.00-15	14	P03	750	200	24	860	2870	2420
7.50-15	16	P03	780	215	26	925	3640	2800
28x9-15 (8.15-15 / 225/75-15)	14	P03	710	220	28	970	3050	2575
250-15 (250/70-15)	20	P03	735	250	37	1030	4110	3470
300-15 (315/70-15)	20	P03	840	300	52	900	6500	5000
8.25-15	16	P03	840	235	32	830	3775	3185
9.00-16	14	P03	890	255	40	760	4495	3795
12.00-20	24	P03	1146	315	92,5	965	8495	7195

## TREAD PATTERN

P03




## LOOK UP THE **CORRECT REFERENCE** AND ORDER YOUR TYRES

Tyre size	Ply rating	Tyre, tube and flap
		REF
5.00-8	10	165TA9957
18x7-8 (180/70-8)	16	165TA9958
6.00-9	12	165TA9959
21x8-9 (200/75-9)	16	129TA8503
6.50-10	14	151TA2484
7.00-12	16	165TA9960
27x10-12 (250/75-12)	20	165TA9961
7.00-15	14	165TA9962
7.50-15	16	165TA9963
28x9-15 (8.15-15 / 225/75-15)	14	165TA9964
250-15 (250/70-15)	20	165TA9965
300-15 (315/70-15)	20	164TA9619
8.25-15	16	165TA9966
9.00-16	14	129TA7009
12.00-20	24	129TA7015

**Didn't find the tyre you need? Contact us and we will help you out!**

## RECOMMENDED USE



## BENEFITS OF THIS TYPE OF TYRE



## WE CAN OFFER YOU A COMPLETE RANGE OF RIMS SUITED FOR EACH TYRE



- Split rims
- Multiple piece rim with rings
- Clamp fitting rims
- Drop centre rim

Authorized distributor:



© 07-2019 · TVH Parts Holding NV, Brabantstraat 15, B-8790 Waregem. All rights reserved. No part of this publication may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of TVH Parts Holding NV. TVH® is a registered trademark. All other trademarks or tradenames in this publication are the property of their respective owners. Photographs are included for reference purposes only. All sales are subject to the general terms & conditions of sale on [www.tvh.com/avv](http://www.tvh.com/avv). · REF 46038675



**TVH PARTS NV**

Brabantstraat 15 · 8790 Waregem · Belgium  
T +32 56 43 42 11 · F +32 56 43 44 88 · [info@tvh.com](mailto:info@tvh.com) · [www.tvh.com](http://www.tvh.com)