










Create a safer workplace with projection warning lights








Are you tired of the constant beeping when you reverse your forklift? Would you like a **safe, yet silent way to warn people in the warehouse** about your machine's movements? It's quickly and easily done with **projection warning lights**. Mount these safety lights on your vehicle and they create visual warning signals for the people around you. It's easy to see which direction your forklift is moving in, so you avoid collisions, accidents and injuries.

CHECK OUT OUR RANGE OF PROJECTION WARNING LIGHTS

RED SPOT



				
Red spot 	REF 166TA2834 Voltage: 12-100 V Technology: LED 2 pc. Nominal power: 7 W IP68-69K 	REF 141TA6748 Voltage: 12-110 V Technology: LED 2 pc. Nominal power: 10 W IP67 	REF 166TA1552 Voltage: 12-48 V Technology: LED 4 pc. Nominal power: 15 W IP69K 	REF 148TA9614 Voltage: 12-110 V Technology: LED 2 pc. Nominal power: 6 W IP67 
Red spot ATEX This light ensures maximum safety in areas at risk of explosive gas or dust atmospheres, with minimal maintenance and repairs required.			REF 166TA1554 Voltage: 12-48 V Technology: LED 4 pc. Nominal power: 15 W IP54 	

BLUE SPOT







	ABL	J.W. SPEAKER	TYRI	TOTAL SOURCE
Blue spot 	REF 141TA6749 Voltage: 12-100 V Technology: LED 1 pc. Nominal power: 6 W IP68 	REF 140TA2243 Voltage: 12-110 V Technology: LED 2 pc. Nominal power: 10 W IP67 	REF 152TA1662 Voltage: 12-48 V Technology: LED 4 pc. Nominal power: 15 W IP69K 	REF 147TA3431 Voltage: 12-110 V Technology: LED 2 pc. Nominal power: 6 W IP67 
	REF 166TA2833 Voltage: 12-100 V Technology: LED 2 pc. Nominal power: 7 W IP68-69K 			

	TYRI		TOTAL SOURCE		TOTAL SOURCE
Blue spot ATEX This light ensures maximum safety in areas at risk of explosive gas or dust atmospheres, with minimal maintenance and repairs required.	REF 166TA1553 Voltage: 12-48 V Technology: LED 4 pc. Nominal power: 15 W IP54 	Flashing blue spot This light projects four blue spots: three flash in a fixed pattern and one is continuous.	REF 148TA7729 Voltage: 12-24 V Technology: LED 4 pc. Nominal power: 12 W IP69K OEM quality 	Compact blue spot A compact safety light that delivers performance equal to the larger options.	REF 166TA1555 Voltage: 12-100 V Technology: LED 2 pc. Nominal power: 10 W IP68 




RED ARROW

	J.W. SPEAKER	TOTAL SOURCE
Red arrow This light projects an arrow that also indicates the direction of travel of the machine.	REF 166TA2837 Voltage: 12-110 V Technology: LED 2 pc. Nominal power: 10 W IP69K 	REF 166TA2838 Voltage: 10-110 V Technology: LED 2 pc. Nominal power: 6 W IP68 




BLUE ARROW

	ABL	J.W. SPEAKER	CURTIS	TOTAL SOURCE
Blue arrow This light projects an arrow that also indicates the direction of travel of the machine. 	REF 166TA2835 Voltage: 12-100 V Technology: LED 2 pc. Nominal power: 7 W IP68-69K 	REF 148TA8124 Voltage: 12-110 V Technology: LED 2 pc. Nominal power: 10 W IP69K 	REF 166TA1557 Voltage: 12-60 V Technology: LED 3 pc. Nominal power: 9 W IP65 	REF 166TA1556 Voltage: 12-80 V Technology: LED 2 pc. Nominal power: 6 W IP67 
				REF 166TA2836 Voltage: 12-100 V Technology: LED 1 pc. Nominal power: 9 W IP67 






RED ZONE/LINE

	TYRI	TOTAL SOURCE
Red zone/line 	REF 166TA1558 Voltage: 12-48 V Technology: LED 4 pc. Nominal power: 14 W IP69K 	REF 163TA8854 Voltage: 9-60 V Technology: LED 6 pc. Nominal power: 18 W IP67 


BLUE ZONE/LINE

	TYRI	TOTAL SOURCE
Blue zone/line 	REF 166TA2839 Voltage: 12-48 V Technology: LED 4 pc. Nominal power: 14 W IP69K 	REF 164TA9700 Voltage: 9-60 V Technology: LED 6 pc. Nominal power: 18 W IP67 

OTHER

	TOTALSOURCE®		TOTALSOURCE®
Red arc light This light is mounted on the rear of the machine and shows the area where pedestrians are not allowed. 	REF 166TA2841 Voltage: 12-72 V Technology: LED 1 pc. Nominal power: 10 W IP67 	Triangle light 	REF 166TA1147 Voltage: 10-110 V Technology: LED 1 pc. Nominal power: 20 W IP65  REF 166TA2840 Voltage: 12-48 V Technology: LED 1 pc. Nominal power: 27 W IP69K OEM quality 

ULTIMATE SAFETY ZONE KIT

	TOTALSOURCE®
Ultimate safety zone kit 	REF 166TA2842 This kit contains: <ul style="list-style-type: none"> · two red zone lights for both sides of the machine · as well as one red arc light for the rear of the machine. This creates a complete safety zone around the machine.



The need for greater safety is driving tech forward and our range is expanding rapidly. This is just a selection of the safety lights we have available. Are you interested in exploring more options? Ask your sales advisor or go to the 'Downloads' section at www.tvh.com to take a look at our **Lights & Bulbs catalogue** (REF 31072165).

© March 2020. TVH Parts Holding nv, Brabantstraat 15, B-8790 Waregem. All rights reserved. No part of this publication may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of TVH Parts Holding nv ©. TVH is a supplier of after-market spare parts and accessories that are suitable for the maintenance and repair of OEM-equipment. TotalSource® and TVH® are registered trademarks. All other trademarks or tradenames in this publication are property of their respective owners. Photographs and illustrations are included for reference purposes only. All sales are subject to the general terms and conditions of sale on www.tvh.com/avv. · ST · REF 46900067



TVH PARTS NV

Brabantstraat 15 · 8790 Waregem · Belgium

T +32 56 43 42 11 · F +32 56 43 44 88 · info@tvh.com · www.tvh.com