



5. WAREHOUSE



A practical warehouse requires suitable work tools and proper equipment. In this chapter, you can find a selection of products to help you with that. With our storage and stacking solutions in particular, you can optimise the storage space in your racks. The result? More storage space! In addition, we also provide small work tools such as safety knives and measuring and marking tools.

5.1. OUTFITTING

Storing and stacking solutions



Gitter boxes

Steel mesh containers offer you the possibility to efficiently arrange your storage space. So don't immediately start looking for an extra warehouse, have a look at the numerous benefits of the gitter boxes in our range first.

Advantages:

- › Possibility to build more stock as the gitter boxes are stackable
- › Suitable for a wide range of materials thanks to the high carrying capacity
- › The gitter box models are foldable and - as a result - very compact
- › Each side offers access to the lift truck, causing them to be very easy to transport



1 Technical specifications:

- › Outer dimensions: 1245 x 845 x 980 mm
- › Inner dimensions: 1170 x 800 x 845 mm
- › Capacity: 800 kg
- › Own weight: 47 kg

Features:

- › Foldable
- › Anodised, ideal to use inside

REF [140TA2181](#)

2 Technical specifications:

- › Inner dimensions: 1130 x 780 x 700 mm
- › Outer dimensions: 1160 x 850 x 890 mm
- › Capacity: 1500 kg
- › Own weight: 75 kg

Features:

- › Foldable
- › Wind and weather-resistant thanks to a corrosionproof, galvanised finish

REF [141TA7777](#)



Stackable metal pallets

Technical specifications:

- › External dimensions: 1400 x 1060 x 320 mm
- › Capacity: 2000 kg
- › Own weight: 37 kg
- › Height of the tubes: 1200 mm
- › Tubes included

Features:

- › Galvanised

REF [141TA3257](#)


Technical specifications:

- › External dimensions: 1800 x 1060 x 320 mm
- › Capacity: 1500 kg
- › Own weight: 51 kg
- › Height of the tubes: 1200 mm
- › Tubes included

Features:

- › Galvanised

REF [141TA3258](#)



Wire deck

Technical specifications:

- › Dimensions: 1100 x 1320 mm
- › Made of galvanised steel

REF [141TA3575](#)



Shore storage frames

Features:

- › Easily store your shores
- › Stackable, to increase the safety in your storage

Technical specifications:

- › Capacity: 1300 kg
- › Dimensions (L x W x H): 1733 x 948 x 782 mm

1 Painted steel version:

REF [165TA1322](#)



2 Galvanised steel version:

REF [165TA1321](#)

Universal protector for battery chargers

TOTAL SOURCE®

Use our battery charger box to optimally protect your battery charger during transport. This box is specifically designed to be mounted on the forks of your forklift truck.

The sides are adjustable in height, allowing you to carry different sizes of battery chargers. This makes the box a universal model. Furthermore, the box also allows you to stack up to 3 rows high. Perfect for when you don't have lots of storage space.



Features

- › Suitable for transport of different sizes of battery chargers
- › Fitted onto the forks of the lift truck
- › The battery charger is secured with 2 straps, allowing the battery charger door to be opened at all times
- › The cables with electrical plug are safely stored underneath the battery charger
- › Can be stacked up to 3 rows high
- › Box is adjustable in height

Technical specifications

- › Capacity: 160 kg
- › Maximum dimensions of the battery charger (W x L x H): 620 x 620 x 945 mm
- › Dimensions of the box (W x L x H): 700 x 700 x 1175 mm
- › Dimensions fork sleeves (W x H): 190 x 90 mm
- › Distance between fork sleeves: 310 mm
- › Weight: 81 kg

REF [131TA4944](#)

Safety knives

Safety knife - Secumax 350

- › Concealed blade = maximum safety
- › The blade is concealed, shielded for both people and goods
- › Material of the handle: glass fibre reinforced plastic
- › Length (with open blade): 154 mm
- › Cutting depth: 6 mm
- › Storage for blade present in the knife
- › Exchangeable blade, 1 replacement blade included in storage
- › Light and easy
- › Used for single-layer cardboard, foil and tape

REF [165TA7458](#) - Knife

REF [165TA7459](#) - Replacement blades - 10 pieces, 2 cutting edges



martor

Safety knife - Secupro 625

- › Fully automatic blade retraction = very high safety
- › Intelligent cutting tool: as soon as the blade leaves the material to be cut, it retracts automatically into the handle, without you having to do anything.
- › Material of the handle: aluminium
- › Length (with open blade): 155 mm
- › Cutting depth: 21 mm
- › Exchangeable blade
- › With safety lock to avoid incidental release of the blade

REF [165TA7460](#) - Knife

REF [165TA7462](#) - Replacement blades - 10 pieces, 2 cutting edges



martor

Safety knife - Secupro Maxisafe

- › Fully automatic blade retraction = very high safety
- › Intelligent cutting tool: as soon as the blade leaves the material to be cut, it retracts automatically into the handle, without you having to do anything.
- › Material of the handle: glass fibre reinforced plastic
- › Length (with closed blade): 148 mm
- › Cutting depth: 16 mm
- › Exchangeable blade
- › 3-sided slider: left, right and above

REF [165TA7463](#) - Knife

REF [165TA7462](#) - Replacement blades - 10 pieces, 2 cutting edges



martor

Measuring and marking tools



Safety knife - Secunorm 500

- › Automatic blade retraction = high safety
- › Thumbs up for a high degree of safety. As soon as you start cutting, remove your thumb from the slider and the blade will disappear into the handle the moment it loses contact with the material being cut.
- › Material of the handle: aluminium
- › Length (with closed blade): 143 mm
- › Cutting depth: 17 mm
- › Exchangeable blade
- › Double-sided slider makes it possible to operate with both hands
- › Very abrasion-resistant

REF [165TA7465](#) - Knife

REF [165TA7464](#) - Replacement blades - 10 pieces, 2 cutting edges

martor



Valve action paint markers

- › Pen with fast-drying liquid paint
- › Provides long-lasting, wear- and weather-resistant marks
- › Marking range: -46 °C up to 66 °C
- › Surface uses: steel and iron, plastic, glass, pipes and tubes, rubber and tyres, textiles
- › Diameter of the tip: 3 mm
- › Contents: 12 pieces

REF [107TA7486](#) - White

Markal



Paint crayons

- › Smooth-marking solid paint crayon
- › Fast-drying, weather- and UV-resistant
- › Paint for long-lasting marks
- › Advance and retract by turning twist-up knob
- › Marking range: -18 °C up to 200 °C
- › Surface uses: pipes and tubes, glass, ceramic, steel and iron, timber, concrete and stone, rubber and tyres, plastic
- › Contents: 12 pieces

REF [107TA7497](#) - White

REF [107TA7495](#) - Yellow

REF [107TA7496](#) - Red

Markal



Marking paint

- › Metal ball tip marker for marking hand surfaces
- › Suitable for rough, vertical and overhead surfaces
- › Industrial paint withstands harsh environments and weather conditions
- › Marking range: -20 °C up to 70 °C
- › Surface uses: steel and iron, pipes and tubes, rubber, concrete, stone, asphalt, textiles
- › Contents: 12 pieces

REF [165TA8194](#)

Markal




Measuring tape

- › Shock-resistant bi-material ABS casing
- › Steel tape
- › Precision class II
- › Length: 5 m
- › With lock button

REF [139TA3792](#)

Beta
Beta Utensili S.p.A. Authorized Dealer



In addition to the equipment in your workshop or warehouse, safety also plays a major role. That is why we recommend investing in articles that guarantee the safety in your warehouse. An accident doesn't take long to happen, but with the right equipment you can limit the damage to your warehouse and machines.

5.2. PROTECTION OF YOUR WAREHOUSE AND MACHINERY

Rack protectors



TOTAL SOURCE®

The racks in your warehouse have a lot to endure. In order to the internal transport activities, Material handling equipment such as forklifts, stackers or pallet trucks can cause a lot of damage to the racks. Make sure your racks last longer by providing them with rack protectors.



- › Made of impact-resistant plastic
- › For racks from 75 mm to 120 mm
- › Height: 590 mm
- › Width inner side: 75 mm to 120 mm
- › Weight: 1,6 kg

REF [161TA6947](#)



- › Made of impact-resistant plastic
- › Height: 750 mm
- › Diameter: 125 mm
- › Weight: 6,5 kg

REF [139TA1743](#)



- › Made of impact-resistant plastic
- › Height: 1200 mm
- › Diameter: 200 mm
- › Weight: 19,5 kg

REF [139TA1742](#)

Features

- › Made of impact-resistant plastic which ensures optimal protection of your racks
- › Undamaged racks make your warehouse safer for your goods and passers-by

Column protectors



TOTAL SOURCE®

Are you looking for reliable protection for your warehouse? These protectors ensure that the columns stand out more for the driver, and in case of a collision, the damage will be rather limited.

The protectors are placed in just a few seconds and do not require fixings. They are available in different sizes to provide optimal protection in your warehouse resulting in less maintenance and repair costs.

- › Inside dimensions: 200 x 200 mm
- › Height: 1110 mm
- › Diameter: 610 mm
- › Weight: 27 kg

REF [131TA2401](#)

- › Inside dimensions: 300 x 300 mm
- › Height: 1100 mm
- › Diameter: 610 mm
- › Weight: 27 kg

REF [131TA2402](#)

- › Inside dimensions: 400 x 400 mm
- › Height: 1100 mm
- › Diameter: 825 mm
- › Weight: 36 kg

REF [131TA2403](#)

- › Inside dimensions: 500 x 500 mm
- › Height: 1100 mm
- › Diameter: 965 mm
- › Weight: 36 kg

REF [131TA2404](#)



- › Inside dimensions: 120 x 155 mm
- › Height: 1100 mm
- › Diameter: 450 mm
- › Weight: 11 kg

REF [139TA1736](#)



- › Inside dimensions: 200 x 700 mm
- › Height: 1000 mm
- › Weight: 19 kg

REF [139TA3799](#)



- › Height: 805 mm
- › Weight: 1,54 kg

REF [165TA3817](#)



- › Height: 1015 mm
- › Weight: 2 kg

REF [134TA8424](#)



Insert

- › Height: 1100 mm
- › Width: 99 mm
- › Length: 204 mm

REF [134TA8423](#)

For references [131TA2401](#), [131TA2402](#), [131TA2403](#) and [131TA2404](#)

Features

- › Virtually no installation time thanks to the easy installation
- › Striking colour ensures high visibility
- › High impact resistance
- › Durable
- › Less repair costs

WuBump shock absorbers

wuBump®

WuBump® prevents damage to your infrastructure, load and machine. The resilient copolymers absorb the collision energy, ensuring that the impact is less harmful to the driver.



Shock absorber

- › Width: 50 mm
- › Height: 50 mm
- › Length: 100 mm
- › Weight: 0,4 kg
- › Sold per piece

REF [143TA3852](#)



Shock absorber

- › Width: 50 mm
- › Height: 50 mm
- › Length: 400 mm
- › Weight: 1,2 kg
- › Sold per piece

REF [143TA3854](#)



Flexible shock absorber

- › Width: 50 mm
- › Height: 50 mm
- › Length: 400 mm
- › Weight: 1,2 kg
- › Sold per piece

REF [143TA3853](#)



Kit of shock absorbers

- › Kit with references:
- 2x [143TA3852](#)
- 1x [143TA3854](#)
- 2x [143TA3853](#)

REF [143TA3856](#)



Shock absorber

- › Length: 900 mm
- › Diameter: 100 mm
- › Weight: 10 kg

REF [143TA3855](#)



Features

- › Prevents damage to your infrastructure, load and machine (less costs)
- › Absorbs the collision energy, reduces the collision damage and enhances the ergonomics of the driver
- › Easy mounting (secured by means of magnets)
- › Made of resilient copolymers thus returning to its original form after collision
- › Good resistance against greases, acids, salts and oils
- › One product for multiple makes and machines (lift trucks, reach trucks, mobile elevating work platforms ...)

Shock absorbers

TOTAL SOURCE®

Start using shock absorbers to protect your machine, operator, load and infrastructure. They absorb the collision energy, reduce damage and enhance the ergonomics of the driver. Afterwards, the absorber returns to its original shape as it is made of resilient copolymers.

The shock absorbers are suitable for a variety of machines and applications. These not only prevent damage to the warehouse, but especially to the machines and devices to which you attach them.



Shock absorber in black



Shock absorber in yellow

- › Width: 100 mm
- › Length: 448 mm
- › Height: 35 mm
- › Weight: 2 kg
- › Sold per piece

REF [141TA1557](#) - Black
REF [140TA2241](#) - Yellow

Features

- › Reduces damage, resulting in less repair costs
- › Universal shock absorber that can be mounted on the back, side and front of any forklift, reach truck, pallet truck, rack ...
- › Powerful magnets for easy installation

Load and fork protectors

wuBump®

Avoid damage to goods thanks to this rubber bumper, equipped with a soft top layer consisting of rubber fibres. The bumper fits on the forks of various machines: lift trucks, reach trucks, stackers ...



Features

- › Avoids damage to fragile loads
- › Easily installed with integrated magnets or steel clamps
- › Small investment
- › Less repair costs

Technical specifications

Length	Width	Height	Weight	REF
mm	mm	mm	kg	
400	50	50	1	150TA9555
450	100	50	1	164TA1459
550	120	50	1	164TA1460

Accessories


Corner protector

Corner protectors can be installed to protect your racks, machinery, entrances, doorways ... They are made of strong metal to prevent your plant and machinery from being damaged by heavy vehicles or other heavy impacts.

- › No unnecessary costs for storage equipment
- › Made of metal, a strong material that lasts long

- › Height: 300 mm
- › Width inner side: 135 mm
- › Weight: 7 kg

REF [134TA3673](#)



Fork shortener

The fork shortener prevents the fork tips from sticking out of the pallet and causing damage.

- › No damaged goods or pallets anymore
- › Easy to install and remove (click system)
- › Light-weight
- › Magnetic (fits against the back of the forks when not in use)

- › Length: 400 mm
- › Width: 100 mm
- › Weight: 3 kg
- › Made of shock-resistant plastic

REF [164TA5977](#)



Signalisation



Traffic cones

Cone in soft PVC

- > Reflective band
- > Height: 300 mm

REF [107TA8133](#)

- > 2 reflective bands
- > Height: 500 mm

REF [107TA8134](#)

Cone in hard PVC

- > 2 reflective bands
- > Weighted base
- > Height: 700 mm


REF [145TA9246](#)

Decals - EN ISO7010

The ISO 7010 standards apply to all locations where safety issues relating to people need to be addressed. As such, these icons can be found all over Europa and clearly be identified by anyone.

These decals can therefore apply to work and public places. You will also find the images in safety manuals, product labeling and evacuation plans.

Go to MyProductSearch on MyTotalSource to see the other ISO 7010 decals within our range.



Viewing distance



Emergency exit

- > Dimensions: 100 x 100 mm

REF [165TA3782](#)

- > Dimensions: 200 x 200 mm

REF [165TA3783](#)



Fire extinguisher

- > Dimensions: 100 x 100 mm

REF [165TA3784](#)

- > Dimensions: 200 x 200 mm

REF [165TA3785](#)



Safety helmet

- > Dimensions: 100 x 100 mm

REF [165TA3786](#)

- > Dimensions: 200 x 200 mm

REF [165TA3787](#)



Warning electricity

- > Dimensions: 100 x 100 mm

REF [165TA3790](#)

- > Dimensions: 200 x 200 mm

REF [165TA3791](#)



No smoking

- > Dimensions: 100 x 100 mm

REF [165TA3788](#)

- > Dimensions: 200 x 200 mm

REF [165TA3789](#)



Post for signalling chain

- > Practical signalling post
- > Height: 900 mm
- > Diameter tube: 50 mm
- > Triangular PVC base (weighted with concrete)

REF [147TA4368](#) - Yellow/black

REF [107TA8163](#) - Red/white



Signalling chain

- > Signalling chain 25 m

Yellow/black

- > Diameter: 6 mm

REF [107TA8166](#)

- > Diameter: 8 mm

REF [107TA8167](#)


Red/white

- > Diameter: 6 mm

REF [107TA8169](#)

- > Diameter: 8 mm

REF [107TA8170](#)



Signalling ribbon

White/red

- > 80 mm x 250 m

REF [107TA8138](#)

- > 70 mm x 500 m

REF [141TA7760](#)

Yellow/black

- > 80 mm x 250 m

REF [151TA3876](#)

- > 70 mm x 500 m

REF [107TA8139](#)



Reflective triangular

Reflective triangular for slow-moving vehicles

- > Galvanised steel plate covered with reflective foil
- > Dimensions (H x W): 365 x 365 mm
- > To attach to the rear of the vehicle
- > Complies with ECE 69.01

REF [107TA8059](#)

MagProtect: re-usable safety corner



The MagProtect is a reusable safety corner with a powerful custom-made magnet.

The use of the MagProtect will drastically decrease the risk of industrial accidents. High-quality magnets ensure the corner protector will always stay in place. This way hazardous situations belong to the past. The MagProtect can easily be attached to and removed from any metal construction.

- › Number of magnets: 1
- › Non-magnet sides: flat
- › Weight: 254 g
- › Dimensions: 150 x 150 mm
- › Working temperature: from -20 °C (-4 °F) up to 80 °C (176 °F)
- › Magnet type: neodymium pot magnet
- › Material: CP284R heterophasic copolymer
- › Standard colour: traffic orange
- › Special options: other colours and glow-in-the-dark, imprint of your company name or logo

- › Pull force: 25 kg
- › Colour: orange

REF [147TA4629](#)

- › Pull force: 65 kg
- › Colour: red-white reflecting

REF [164TA8114](#)



The advantages:

- › Safety in the workplace
- › Clear marking
- › Cost-effective
- › Durable materials
- › Easy to (dis)assemble
- › Applicable to steel (via magnet) and wood* (via nails or screws)
- › Stackable (therefore spacesaving)

* On request

Antiskid



Antiskid coating

- › Liquid polyurethane
- › Can easily be applied to a range of surfaces
- › Kit includes 4 litres of Pro-Tech coating, 2 paint rollers, gloves, abrasive sheet ...
- › Rubber granules in the coating provide up to 20% noise reduction

REF [165TA3803](#)



Antiskid coating

- › Application: brush
- › High cracking, fracture and shrink resistance
- › Remains smooth and flexible
- › Impact-, pressure- and wear-resistant
- › Colour: black
- › Contents: 5 l
- › Use: ± 1m²/kg

REF [164TA9701](#)



Self-adhesive antiskid roll

Size	REF
18 m x 50 mm	141TA1160
18 m x 100 mm	107TA5240
18 m x 150 mm	107TA5241
18 m x 200 mm	107TA5242
18 m x 300 mm	107TA5243
18 m x 610 mm	107TA5244
18 m x 1000 mm	165TA3802
18 m x 1220 mm	107TA8131

Looking for a piece of antiskid cut to size?

Find the right dimensions via MyProductSearch on MyTotalSource.





Working with handling equipment involves unavoidable risks. Prevent injuries by working safely at any time. Use personal protective equipment (PPE): protect your head, hands and feet and wear high-visibility clothing. Also be prepared for the worst with the necessary first aid within reach.

5.3. PERSONAL SAFETY

Safety cages



TOTAL SOURCE®

Do you often perform tasks at altitude? Reach your working height safely thanks to our safety cages. These offer you the necessary protection to get started.

You can easily store your work materials in the provided toolbox, this way you always have your tools at hand.

Do you simply wish to roll the safety cage to the storage area after use? Then opt for a model equipped with nylon wheels, which will allow you to quickly and efficiently store the cage.

Features

- › With toolbox for easy storage of your work tools
- › Quickly mounted on the forks

Technical specifications

- › Capacity: 300 kg
- › Maximum number of persons in cage: 2
- › Maximum height: 1900 mm
- › Dimensions of the cage (L x W x H): 795 x 1205 x 1100 mm
- › Dimensions fork sleeves (W x H): 203 x 84 mm
- › Width between fork sleeves: 805 mm
- › Weight: 120 kg

REF [107TA6395](#) - without wheels

REF [107TA6397](#) - with nylon wheels

Personal protective equipment



Black workEasy glove

- › Fine handling in a dry environment
- › Exceptional dexterity and breathability

Applications:

- › Assembly and electrical components
- › Separation of small items
- › Electronics

Standard:

- › Cat II
- › EN 420
- › EN 388:3121

Size	REF
6	143TA6973
7	143TA6974
8	143TA6975
9	143TA6976
10	143TA6977
11	143TA6978

Honeywell



Safety jackets

- › Uni-size
- › Standard: EN 471: high visibility

REF [123TA5548](#) - Yellow


REF [123TA5549](#) - Orange



Soft suede shoe, perforated

- › Collar with 3D Fresh lining
- › Composite toecap, 200 joules
- › Composite fibre penetration-proof insole
- › Carbon inner sole
- › Polyurethane antiskid outsole
- › Antistatic, fungicidal and antishock
- › Metal-free
- › Standard: EN20345 S1P SRC - 7210 BKK
- › Fuel-resistant outsole

EU	UK	USA	J	REF
38	5	6	24	140TA2065
39	6	7	24.5	140TA2066
40	6.5	7.5	25.5	140TA2067
41	7	8.5	26.5	140TA2068
42	8	9	27	140TA2069
43	9	10	28	140TA2070
44	10	10.5	28.5	140TA2071
45	10.5	11.5	29.5	140TA2072
46	11	12	30	140TA2073
47	12	13	31	140TA2074



Beta
Beta Utensili S.p.A. Authorized Dealer



Helmet

- Standard: EN 397 DIN 4840

Shell:

- REF 143TA7164 - Yellow
REF 143TA7169 - White
REF 165TA8193 - Red

REF 143TA7169 - White

REF 165TA8193 - Red

Honeywell

Notes